



MF 8" COB Down Light Specification

Model NO.:MF-E800208



Fixed COB Series

UGR:19 KN<10% CRI>83



IEC62031
 IEC60598-1
 IEC60598-2
 IEC61347
 Comply with Energy Star SSL




Product SPEC:

Input voltage	220-240Vac, 50hz/60hz
Product Size	D230*102mm
Cut out Size	∅ 208mm
Power(watt)	40W/ 50W
Color temperature	3000K / 4000K / 6000K
LED Chip	Cree COB/ Epistar COB
LED Driver	Lifud (IP44) / Meanwell (IP65)
PF	≥0.95
Housing Colour	White RAL9003/ Silver
Luminous Flux (lm)	40W: 3400lm @3000K, 3500lm@4000K, 3600lm@5000K 50W: 4000lm @3000K, 4100lm@4000K, 4200lm@5000K
CRI (Ra)	>83
Lifespan	≥50000hrs
Beam Angle	40°
Material	Aluminum
Operating Temperature	-20°C ~50°C
Dimmable	Y
IP	IP44/IP65
UGR	<19
Certificate	CE/ RoHS
Warranty Period	5 years

Package:




Packing Size: (CM)




27(D1)*24 (F1)*13cm(H1)/PCS

N.W: 0.95KG, G.W: 1.04KG



8PCS/CTN



68(D2)*58(F2)*28cm(H2)/8PCS

N.W: 14.7KG, G.W: 16.8KG

Job reference photos from Ming Feng

